MATERIAL SAFETY DATA SHEET

Battery Cleaner Spray

Section 1: Product & Company Identification

Product Name: Battery Cleaner Spray

Product Number (s): 09714 East Penn Product ID: 00323 and L654BC

Manufacturer Contact Information: Supplied By:

In United States: In Canada: East Penn Manufacturing Co. In Mexico:

CRC Industries, Inc. CRC Canada Co. **CRC Industries Mexico** 102 Deka Road

885 Louis Drive 2-1246 Lorimar Drive Av. Benito Juárez 4055 G Lyon Station, PA 19536 Customer Service (610)6826361

Warminster, PA 18974 Mississauga, Ontario L5S 1R2 Colonia Orquídea

www.crcindustries.com www.crc-canada.ca San Luís Potosí, SLP CP 78394

1-215-674-4300 (General) 1-905-670-2291 www.crc-mexico.com (800) 521-3168 (Technical) 52-444-824-1666

(800) 272-4620 (Customer Service)

24-Hr Emergency - CHEMTREC: (800) 424-9300 or (703) 527-3887

Section 2: Hazards Identification

Emergency Overview

DANGER: Ingredients contain a flammable component. Keep away from heat or flame. Contents under pressure. Harmful or fatal if swallowed. Vapor harmful.

Appearance & Odor: Clear aerosol spray, mild odor



Potential Health Effects:

EYE: May cause mild irritation including redness and burning.

SKIN: Prolonged or repeated contact can cause irritation and defatting of the skin.

INHALATION: Inhalation of a small amount is not expected to cause health effects. Prolonged

exposure may cause dizziness or throat irritation.

INGESTION: Ingestion of a small amount is not expected to cause health effects. Ingestion of a

larger amount may cause irritation to gastrointestinal tract.

CHRONIC EFFECTS: None known

TARGET ORGANS: None known

Medical Conditions Aggravated by Exposure: pre-existing skin or eye disorders. See Section 11 for toxicology and carcinogenicity information on product ingredients.

Section 3: Composition/Information on Ingredients

COMPONENT	CAS NUMBER	% by Wt.	
Water	7732-18-5	80-90	
2-Butoxyethanol	111-76-2	2-3	
Sodium Bicarbonate	144-55-8	1-9	

East Penn Product Number (s): 00323 and L654BC

Detergent	Various	<1	
Isobutane	75-28-5	10-14	

Section 4: First Aid Measures

Eve Contact: Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists. Skin Contact:

Remove contaminated clothing and wash affected area with soap and water. Call a physician

if irritation persists. Wash contaminated clothing prior to re-use.

Inhalation: Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If

breathing is difficult give oxygen. Call a physician.

Ingestion: Do not induce vomiting. Call a physician.

Note to Physicians: This product contains 2-butoxyethanol which if ingested in significant quantities, may result in

red blood cell hemolysis.

Section 5: Fire-Fighting Measures

Flammable Properties: This product is non-flammable in accordance with aerosol flammability

definitions. (See 16 CFR 1500.3 (c)(6)).

Flash point: None Upper Explosive Limit: ND Autoignition Temperature:None Lower Explosive Limit. ND

Fire and Explosion Data:

Suitable Extinguishing Media: Use extinguishing agents appropriate for surrounding fire.

Products of Combustion: None

Explosion Hazards: Aerosol containers, when exposed to heat from fire, may build pressure and explode. Protection of Fire-Fighters: Firefighters should wear self-contained, NIOSH-approved breathing apparatus for protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed containers cool and to knock down vapors which may result from product decomposition.

Section 6: Accidental Release Measures

Personal Precautions: Use personal protection recommended in Section 8.

Environmental Precautions: Take precautions to prevent contamination of ground and surface waters.

Methods for Containment & Dike area to contain spill. Ventilate the area with fresh air. If in confined space or

Clean-Up: limited air circulation area, clean-up workers should wear appropriate respiratory

protection. Recover or absorb spilled material using an absorbent designed for

chemical spills. Place used absorbents into proper waste containers.

Section 7: Handling and Storage

Handling Procedures: Use with adequate ventilation. Avoid contact with skin and eyes. Wash hands after use. Do

not expose aerosol containers to heat or flame. Do not incinerate container. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. For

product use instructions, please see the product label.

Storage Procedures: Store in a cool dry area out of direct sunlight. Aerosol cans must be maintained below 120 F

to prevent cans from rupturing.

Aerosol Storage Level:

KEEP OUT OF REACH OF CHILDREN

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines:

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200)

CHEMICAL NAME ACGIH **OTHER** CAS# OSHA

111-76-2 2-Butoxyethanol 2-3 50 20 75-28-5 Isobutane 10-14 800 800

Controls and Protection:

Engineering Controls: Areas should have ventilation to provide fresh air. Local exhaust ventilation is generally

preferred because it can control the emissions of the contaminant at the source, preventing dispersion into the general work area. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable

OSHA regulations.

Respiratory Protection: None required for normal work where adequate ventilation is provided. Air monitoring is

needed to determine actual employee exposure levels. Use a NIOSH-approved self-

East Penn Product Number (s): 00323 and L654BC

contained breathing apparatus in confined spaces and for emergencies.

Eye/face Protection: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid

contact, wear splash-proof goggles.

Skin Protection: Use protective gloves such as nitrile. Also, use full protective clothing if there is prolonged or

repeated contact of liquid with skin.

DO NOT SMOKE, EAT, OR DRINK WHILE SPRAYING THIS PRODUCT WASH HANDS THOROUGHLY AFTER USING THIS PRODUCT

Section 9: Physical and Chemical Properties

Physical State: Liquid in pressurized aerosol can.

Color: Clear liquid Volatile by volume 96% Odor: Mild odor VOC ~15%

Specific Gravity: 0.92 Viscosity: Not determined for aerosol.

Initial Boiling Point: ~212 ° F

Freezing Point: ~32 ° F

Vapor Pressure: Not Determined for aerosol

Vapor Density: > 1 (air = 1) Evaporation Rate: > 1 (water = 1)

Solubility: Soluble

pH: 8.5

Section 10: Stability and Reactivity

Stability: Stable

Conditions to Avoid: Keep away from heat, direct sunlight, open flames or sparks. Dropping of containers may

cause bursting.

Incompatible Materials: Stong oxidizers.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide

Possibility of Hazardous Reactions: No

Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

Acute Toxicity:

Component	Oral LD50 (rat)	Dermal LD50 (rabbit)	Inhalation LC50 (rat)
Water	> 90 mL/kg	No data	No data
2-Butoxyethanol	470 mg/kg	220 mg/kg	450 ppm/4H
Sodium bicarbonate	4220 mg/kg	No data	No data
Detergent	3000 mg/kg	4400 mg/kg	No data

Chronic Toxicity:

	OSHA	IARC	NTP		
<u>Component</u>	Carcinogen	Carcinogen	Carcinogen	<u>Irritant</u>	Sensitizer
Water	No	No	No	No	No
2-Butoxyethanol	No	No	No	E (severe) /	No
				S (mild) /	
				R (mild)	
Sodium bicarbonate	No	No	No	No	No
Detergent	No No No E (sev		E (severe) /	No	
-				Se (mild)	

Reproductive Toxicity: No information available

		L − Eye	S – Skin	R - Respiratory
eratogenicity:	No information available			

<u>Mutagenicity</u>: No information available

<u>Synergistic Effects</u>: No information available

Section 12: Ecological Information

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity: 2-Butoxyethanol 96 Hr LC50, Bluegill sunfish: 1490 mg/L

East Penn Product Number (s): 00323 and L654BC

24 Hr LC50, daphnia: 1720 mg/L

Persistence / Degradability:
Bioaccumulation / Accumulation:
Mobility in Environment:

No information available
No information available

Section 13: Disposal Considerations

Waste Classification: The dispensed liquid product is not a RCRA hazardous waste. Pressurized containers are a

D003 reactive waste. (See 40 CFR Part 261.20 - 261.33)

Empty aerosol containers may be recycled.

All disposal activities must comply with federal, state, provincial and local regulations. Local regulations may be more stringent than state, provincial or national requirements.

Section 14: Transport Information

US DOT (ground): Consumer Commodity, ORM-D

ICAO/IATA (air): Consumer Commodity, ID8000, 9

IMO/IMDG (water): Aerosols, UN1950, 2.2, Limited Quantity

Special Provisions: None

Section 15: Regulatory Information

U.S. Federal, State and Local Regulatory Information:

Toxic Substances Control Act (TSCA):

All ingredients are either listed on the TSCA inventory or are exempt.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Reportable Quantities (RQ's) exist for the following ingredients: None

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Superfund Amendments Reauthorization Act (SARA) Title III:

Section 302 Extremely Hazardous Substances (EHS): None

Section 311/312 Hazard Categories: Fire Hazard Yes

Reactive Hazard No Release of Pressure Yes Acute Health Hazard Yes Chronic Health Hazard No

Section 313 Toxic Chemicals: This product contains the following substances subject to the reporting requirements

of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of

1986 and 40 CFR Part 372:

2-Butoxyethanol (glycol ethers): 2.9%

Clean Air Act:

Section 112 Hazardous Air Pollutants (HAPs): None

U.S. State Regulations:

California Safe Drinking Water and Toxic Enforcement Act (Prop 65):

This product may contain the following chemicals known to the state of

California to cause cancer, birth defects or other reproductive harm: None

Consumer Products VOC Regulations: This product is not regulated

State Right to Know:

New Jersey: 111-76-2, 68476-86-8 Pennsylvania: 111-76-2, 68476-86-8 Massachusetts: 111-76-2, 68476-86-8 Rhode Island: 111-76-2, 68476-86-8

Canadian Regulations:

Controlled Products Regulations:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Hazard Class: A, D1A, D1B, D2B

<u>Canadian DSL Inventory</u>: All ingredients are either listed on the DSL Inventory or are exempt.

European Union Regulations:

RoHS Compliance: This product is compliant with Directive 2002/95/EC of the European Parliament and of the

Council of 27 January 2003. This product does not contain any of the restricted substances as

East Penn Product Number (s): 00323 and L654BC

listed in Article 4(1) of the RoHS Directive.

Additional Regulatory Information: None

Section 16: Other Information; Blended Product

NFPA: Health: 1 Flammability: 0 Reactivity: 0 HMIS: Health: 1 Flammability: 0 Reactivity: 0

: Health: 1 Flammability:

Health: 0 Flammability: 4 Reactivity: 0
Health: 1 Flammability: 4 Physical Hazard: 2

Revision Date: 08/30/2010

Disclaimer

NFPA:

HMIS:

This Material Safety Data Sheet is based upon information and sources available at the time of preparation or revision date. The information in the MSDS was obtained from sources, which we believe are reliable, but are beyond our direct supervision or control. We make no Warranty of Merchantability, Fitness for any particular purpose, or any other Warranty, Expressed or Implied, with respect to such information, and we assume no liability resulting from its use. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use of, or disposal of the product. It is the obligation of each user of the product to determine the suitability of this product and comply with the requirements of all applicable laws regarding use and disposal of this product. For additional information concerning East Penn Manufacturing Co., Inc. products or questions concerning the content of this MSDS please contact your East Penn representative.

PPE:

В

CAS: Chemical Abstract Service NA: Not Applicable

ppm: Parts per Million ND: Not Determined TCC: Tag Closed Cup NE: Not Established PMCC: Pensky-Martens Closed Cup g/L: grams per Liter PPE: Personal Protection Equipment lbs./gal: pounds per gallon

TWA: Time Weighted Average STEL: Short Term Exposure Limit

OSHA: Occupational Safety and Health Administration

ACGIH American Conference of Governmental Industrial Hygienists

NIOSH National Institute of Occupational Safety & Health